

Alertas por e-mail utilizando SMTP autenticado

INTRODUÇÃO:

O Zabbix tem suporte a envio de e-mails, porém sem autenticação, para utilizar o recurso de autenticação é preciso recorrer a scripts externos, o objetivo desse tutorial é descrever os passos necessários para este procedimento.

PRÉ-REQUISITOS:

O único pré-requisito que temos é o software SendEmail, não confundir com o sendmail que é nativo do Linux.

SUPRIR AS DEPENDÊNCIAS:

Faça o download da última versão estável do software `SendEmail`

INSTALAR O SENDEMAIL:

Por questões de organização eu sempre crio um diretório `/install` e dentro dele vou criando os sub-diretórios com o nome dos softwares que preciso instalar.

```
# mkdir /install
# cd /install/
# mkdir SendEmail
# cd SendEmail
# wget http://caspiandotconf.net/menu/Software/SendEmail/sendEmail-*.tar.gz
```

Observação:

Substitua o `"*"` pela versão do SendEmail.

DESCOMPACTAR O ARQUIVO BAIXADO:

```
# tar -xzf sendEmail-*.tar.gz
```

MOVER O BINÁRIO PARA O DIRETÓRIO /USR/BIN:

```
# mv sendEmail-*/sendEmail /usr/bin/
```

CRIAR O DIRETÓRIO /ETC/ZABBIX/SCRIPTS:

```
# mkdir /etc/zabbix/scripts
```

ENTRAR NO DIRETÓRIO:

```
# cd /etc/zabbix/scripts
```

CRIAR O ARQUIVO ZABBIX_SENDEMAIL.SH COM O SEGUINTE CONTEÚDO:

```
#!/bin/bash
```

```
export smtpemailfrom=EMAIL_QUE_VAI_ENVIAR
```

```
export zabbixemailto="$1"  
export zabbixsubject="$2"  
export zabbixbody="$3"  
export smtpserver=SEU_SMT  
export smtplogin=SEU_USUARIO_SEM_O_@_DOMINIO  
export smtppass=SUA_SENHA
```

```
/usr/bin/sendEmail -f $smtpemailfrom -t $zabbixemailto -u $zabbixsubject -m $zabbixbody -s $smtpserver:25 -xu $smtplogin -xp $smtppass
```

TORNAR O SCRIPT EXECUTÁVEL:

```
# chmod +x zabbix_sendemail.sh
```

ALTERAR AS PERMISSÕES DO DIRETÓRIO E DO SCRIPT:

```
# chown -R zabbix:zabbix /etc/zabbix/scripts
```

TESTAR SE O SCRIPT FOI CONFIGURADO CORRETAMENTE:

```
# ./zabbix_sendemail.sh email@destino -m "Teste da Testa"
```

Se tudo deu certo você vai receber uma mensagem como:

Data Nome_do_Host sendEmail [PID] : Email was sent successfully!

E o email@destino vai receber uma mensagem sem assunto com o conteúdo Teste da Testa.

Se não deu certo, revise seu script!

ALTERAR O DIRETÓRIO PADRÃO DE SCRIPTS DO ZABBIX:

Edite o arquivo /etc/zabbix/zabbix_server.conf

E altere a opção AlertScriptsPath para:

AlertScriptsPath=/etc/zabbix/scripts

ADICIONAR O SCRIPT NO ZABBIX:

Administration // Media types // Create Media Type

Monitoring | Inventory | Reports | Configuration | Administration | Extras

General | DM | Authentication | Users | Media types | Scripts | Audit | Queue | Notifications | Installation

History: Custom graphs » Configuration of hosts » Custom graphs » Configuration of hosts » Custom graphs

CONFIGURATION OF MEDIA TYPES Create media t

Media types

Displaying 1 to 3 of 3 found

Description	Type	Status	Used in actions	Details
<input type="checkbox"/> Email	Email	Enabled	-	SMTP server: "mail.company.com", SMTP helo: "company.com", SMTP email: "zabbix@company.com"
<input type="checkbox"/> Jabber	Jabber	Enabled	-	Jabber identifier: "jabber@company.com"
<input type="checkbox"/> SMS	SMS	Enabled	-	GSM modem: "/dev/ttyS0"

Enable selected

Zabbix 2.0.0 Copyright 2001-2012 by Zabbix SIA | Connected as 'A

PREENCHER AS INFORMAÇÕES DA NOVA MÍDIA:

Description: Zabbix SendEmail
Type: Script
Script name: zabbix_sendemail.sh
Enabled: Selecionar a opção.

Clicar no botão Save

Monitoring | Inventory | Reports | Configuration | Administration | Extras

General | DM | Authentication | Users | Media types | Scripts | Audit | Queue | Notifications | Installation

History: Configuration of hosts » Custom graphs » Configuration of hosts » Custom graphs » Configuration of media types

CONFIGURATION OF MEDIA TYPES

Media

Description:

Type:

Script name:

Enabled:

Zabbix 2.0.0 Copyright 2001-2012 by Zabbix SIA | Connected as 'A

NOVA MÍDIA DISPONÍVEL:

Media type added

CONFIGURATION OF MEDIA TYPES Create media t

Media types
 Displaying 1 to 4 of 4 found

Description	Type	Status	Used in actions	Details
Email	Email	Enabled	-	SMTP server: "mail.company.com", SMTP helo: "company.com", SMTP email: "zabbix@company.com"
Jabber	Jabber	Enabled	-	Jabber identifier: "jabber@company.com"
SMS	SMS	Enabled	-	GSM modem: "/dev/ttyS0"
Zabbix SendEmail	Script	Enabled	-	Script name: "zabbix_sendemail.sh"

Enable selected

CONFIGURAR O USUÁRIO ADMIN PARA RECEBER ALERTAS PELA MÍDIA ZABBIX SENDEMAIL:

Administration // Users // Clique no usuário Admin

CONFIGURATION OF USERS AND USER GROUPS User groups

User groups
 Displaying 1 to 5 of 5 found

Name	#	Members	Status	Frontend access	Debug mode
Disabled	Users (0)		Disabled	System default	Disabled
Enabled debug mode	Users (0)		Enabled	System default	Enabled
Guests	Users (1)	quest	Disabled	System default	Disabled
No access to the frontend	Users (0)		Enabled	Disabled	Disabled
Zabbix administrators	Users (1)	Admin	Enabled	System default	Disabled

Enable selected

Em Media clique em Add:

CONFIGURATION OF USER

User | Media | Permissions

Media No media defined.

Preencha as informações:

Type: Zabbix SendEmail

Send to: email@destino.com.br

When active: Coloque o horário que o usuário será notificado.

Use if severity: Marque as opções de gravidades de alerta dos quais o usuário deve ser notificado.

Status: Enabled

Clique no botão Add

New media

Type

Send to

When active

Not classified

Information

Warning

Use if severity Average

High

Disaster

Status

Nova mídia disponível para o Administrador, com as opções seleccionadas, clique em Save

CONFIGURATION OF USER

User | Media | Permissions

Media	Type	Send to	When active	Not classified	Information	Warning	Average	High	Disaster	Status	Actions
<input type="checkbox"/>	Zabbix SendEmail	email@destino.com.br	1-7,00:00-24:00;	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Enabled	Add Delete selected Edit

CRIAR A AÇÃO DE ENVIO DE E-MAILS:

Configuration // Actions // Create Action

ZABBIX Help | Get support | Print | Profile | L

Monitoring | Inventory | Reports | Configuration | Administration | Extras

Host groups | Templates | Hosts | Maintenance | Web | Actions | Screens | Slide shows | Maps | Discovery | IT services

History: Configuration of hosts » Custom graphs » Configuration of media types » Configuration of user groups » Configuration of users

CONFIGURATION OF ACTIONS Create ac

Actions Event source Triggers

Displaying 1 to 1 of 1 found

Name	Conditions	Operations	Status
Report problems to Zabbix administrators	Maintenance status not in "maintenance" Trigger value = "PROBLEM"	Send message to user groups: Zabbix administrators	Enabled

Enable selected Go (0)

Zabbix 2.0.0 Copyright 2001-2012 by Zabbix SIA Connected as 'A'

Em **CONFIGURATION OF ACTIONS**, preenche as informações:

Aba Action

Name: E-mail

Enabled: Selecionar a opção

ZABBIX Help | Get support | Print | Profile | L

Monitoring | Inventory | Reports | Configuration | Administration | Extras

Host groups | Templates | Hosts | Maintenance | Web | Actions | Screens | Slide shows | Maps | Discovery | IT services

History: Custom graphs » Configuration of media types » Configuration of user groups » Configuration of users » Configuration of actions

CONFIGURATION OF ACTIONS

Action Conditions Operations

Name: E-mail

Default escalation period (minimum 60 seconds): 3600 (seconds)

Default subject: {TRIGGER.STATUS}: {TRIGGER.NAME}

Default message: Trigger: {TRIGGER.NAME}
Trigger status: {TRIGGER.STATUS}
Trigger severity: {TRIGGER.SEVERITY}
Trigger URL: {TRIGGER.URL}

Item values:
1. {ITEM.NAME1} ({HOST.NAME1}:{ITEM.KEY1})

Recovery message:

Enabled:

Save Cancel

Zabbix 2.0.0 Copyright 2001-2012 by Zabbix SIA Connected as 'A'

Aba Conditions

Delete as condições existente e em **New condition**, configure da seguinte maneira:

Trigger severity = "Information"

Clique em Add

The screenshot shows the Zabbix web interface. At the top left is the ZABBIX logo. The top right has links for Help, Get support, Print, Profile, and Logout. Below the logo is a navigation menu with tabs: Monitoring, Inventory, Reports, Configuration (selected), Administration, and Extras. A secondary menu includes Host groups, Templates, Hosts, Maintenance, Web, Actions (selected), Screens, Slide shows, Maps, Discovery, and IT services. A search bar is on the right. Below the navigation is a breadcrumb trail: History: Custom graphs » Configuration of media types » Configuration of user groups » Configuration of users » Configuration of actions. The main content area is titled 'CONFIGURATION OF ACTIONS' and has three tabs: Action, Conditions (selected), and Operations. Under the 'Conditions' tab, there are two sections: 'Type of calculation' with a dropdown set to 'AND / OR' and '(A) and (B)'; and 'Conditions' with two items: (A) Maintenance status not in "maintenance" and (B) Trigger value = "PROBLEM". Below these is a 'Delete selected' link. The 'New condition' section has a dropdown set to 'Trigger severity', an equals sign dropdown, and another dropdown set to 'Information'. An 'Add' button is below this section. At the bottom of the form are 'Save' and 'Cancel' buttons. The footer contains 'Zabbix 2.0.0 Copyright 2001-2012 by Zabbix SIA' and 'Connected as /A'.

Repita o processo para:

Trigger severity = "Warning"

Trigger severity = "Average"

Trigger severity = "High"

Trigger severity = "Disaster"

CONFIGURATION OF ACTIONS

[Action](#) | [Conditions](#) | [Operations](#)Type of calculation: (A or B or C or D or E)

- Conditions
- (A) Trigger severity = "Disaster"
 - (B) Trigger severity = "High"
 - (C) Trigger severity = "Average"
 - (D) Trigger severity = "Warning"
 - (E) Trigger severity = "Information"

[Delete selected](#)New condition: = [Add](#)[Save](#)[Clone](#)[Delete](#)[Cancel](#)

Aba Operations

Clique em New:

CONFIGURATION OF ACTIONS

[Action](#) | [Conditions](#) | [Operations](#)Action operations: **Steps** **Details** **Period (sec)** **Delay** **Action**

No operations defined.

[New](#)[Save](#)[Cancel](#)Em **Operation details**, configure as opções:**Operation type:** Send messageEm **Send to Users** clique em Add

CONFIGURATION OF ACTIONS

Action | Conditions | **Operations**

Action operations **Steps** **Details** **Period (sec)** **Delay** **Action**
 No operations defined.

Operation details

Step	From	<input type="text" value="1"/>
	To	<input type="text" value="1"/> (0 - infinitely)
	Escalation period	<input type="text" value="0"/> (minimum 60 seconds, 0 - use action default)
Operation type	<input type="text" value="Send message"/>	
Send to User groups	<input type="button" value="Add"/>	
Send to Users	<input type="button" value="Add"/>	
Send only to	<input type="text" value="- All -"/>	
Default message	<input checked="" type="checkbox"/>	
Conditions	No conditions defined.	
	<input type="button" value="New"/>	
	<input type="button" value="Add"/> <input type="button" value="Cancel"/>	

Selecione o usuário Admin e clique em Select

<input type="checkbox"/>	Alias	Name	Surname
<input checked="" type="checkbox"/>	Admin	Zabbix	Administrator
<input type="checkbox"/>	quest	Default	User

Clique em Add:

CONFIGURATION OF ACTIONS

[Action](#) | [Conditions](#) | **Operations**

Action operations

 Steps [Details](#) [Period \(sec\)](#) [Delay](#) [Action](#)

No operations defined.

Operation details

Step	From	<input type="text" value="1"/>
	To	<input type="text" value="1"/> (0 - infinitely)
	Escalation period	<input type="text" value="0"/> (minimum 60 seconds, 0 - use action default)
Operation type	<input type="text" value="Send message"/>	
Send to User groups	<input type="button" value="Add"/>	
Send to Users	Admin Remove	
	<input type="button" value="Add"/>	
Send only to	<input type="text" value="Zabbix SendEmail"/>	
Default message	<input checked="" type="checkbox"/>	
Conditions	No conditions defined.	
	<input type="button" value="New"/>	
	<input type="button" value="Add"/> <input type="button" value="Cancel"/>	

Clique em Save:

CONFIGURATION OF ACTIONS

[Action](#) | [Conditions](#) | **Operations**

Action operations

 Steps [Details](#) [Period \(sec\)](#) [Delay](#) [Action](#) 1 **Send message to users: Admin** [Default](#) [Immediately](#) [Edit](#)[New](#) [Remove selected](#)

Nova Ação definida:

Action added

CONFIGURATION OF ACTIONS

Create ac

Actions

Event source Triggers

Displaying 1 to 2 of 2 found

Name	Conditions	Operations	Status
<input type="checkbox"/> E-mail	Maintenance status not in "maintenance" Trigger value = "PROBLEM" Trigger severity = "Disaster" Trigger severity = "High" Trigger severity = "Average" Trigger severity = "Information" Trigger severity = "Warning"	Send message to users: Admin	Enabled
<input type="checkbox"/> Report problems to Zabbix administrators	Maintenance status not in "maintenance" Trigger value = "PROBLEM"	Send message to user groups: Zabbix administrators	Enabled

Enable selected

ACOMPANHANDO AS TRIGGERS:

Monitoring // Triggers

Displaying 1 to 22 of 22 found

Filter

<input type="checkbox"/>	Severity	Status	Info	Last change	Age	Acknowledged	Host	Name	Comment
<input type="checkbox"/>	Information	OK		25 Sep 2012 16:27:16	14m 38s	Acknowledge (64)	Switch	Operational status was changed on Switch R2.00.010 Port 14 on Unit 1	Add
<input type="checkbox"/>	Information	OK		25 Sep 2012 16:26:41	15m 13s	Acknowledge (32)	Switch	Operational status was changed on Switch R2.00.010 Port 12 on Unit 1	Add
<input type="checkbox"/>	Warning	PROBLEM		25 Sep 2012 11:41:49	5h 5s	Acknowledge (1141)		Too many processes on	Add
<input type="checkbox"/>	Warning	PROBLEM		16 Sep 2012 00:29:03	9d 16h 12m	Acknowledge (2)		Free disk space is less than 20% on volume E:\	Add
<input type="checkbox"/>	Warning	PROBLEM		05 Sep 2012 00:01:06	20d 16h 40m	Acknowledge (14)		Free disk space is less than 20% on volume /	Add
<input type="checkbox"/>	Information	PROBLEM	?	22 Aug 2012 12:48:08	1m 4d 3h	Acknowledge (28)	Switch	Operational status was changed on Switch R2.00.010 Port 12 on Unit 1	Add
<input type="checkbox"/>	Information	PROBLEM	?	22 Aug 2012 12:34:08	1m 4d 4h	Acknowledge (33)	Switch	Operational status was changed on Switch R2.00.010 Port 7 on Unit 1	Add
<input type="checkbox"/>	Information	PROBLEM	?	22 Aug 2012 10:50:07	1m 4d 5h	Acknowledge (46)	Switch	Operational status was changed on Switch R2.00.010 Port 16 on Unit 1	Add
<input type="checkbox"/>	Warning	PROBLEM		11 Aug 2012 02:12:07	1m 15d 14h	Acknowledge (1)		Free disk space is less than 20% on volume I:\	Add
<input type="checkbox"/>	Warning	PROBLEM		11 Aug 2012 02:12:06	1m 15d 14h	Acknowledge (1)		Free disk space is less than 20% on volume H:\	Add
<input type="checkbox"/>	Warning	PROBLEM		11 Aug 2012 02:12:05	1m 15d 14h	Acknowledge (1)		Free disk space is less than 20% on volume G:\	Add
<input type="checkbox"/>	Warning	PROBLEM		11 Aug 2012 02:12:04	1m 15d 14h	Acknowledge (1)		Free disk space is less than 20% on volume F:\	Add
<input type="checkbox"/>	Average	PROBLEM		15 Jul 2012 17:07:30	2m 11d 23h	Acknowledge (5)		Zabbix agent on is unreachable for 5 minutes	Add
<input type="checkbox"/>	Warning	PROBLEM		12 Jul 2012 08:42:24	2m 15d 7h	Acknowledge (1)		Lack of free swap space on	Show
<input type="checkbox"/>	Average	PROBLEM		05 Jul 2012 15:38:58	2m 22d 1h	Acknowledge (3)	Zabbix server	Zabbix unreachable poller processes more than 75% busy	Add
<input type="checkbox"/>	Warning	PROBLEM		28 Jun 2012 16:31:15	2m 29d	Acknowledge (1)		Free disk space is less than 20% on volume D:\	Add
<input type="checkbox"/>	Warning	PROBLEM		28 Jun 2012 15:53:49	2m 29d	Acknowledge (1)		Free disk space is less than 20% on volume D:\	Add
<input type="checkbox"/>	Warning	PROBLEM		14 Jun 2012 11:14:06	3m 13d 5h	Acknowledge (1)		Free disk space is less than 20% on volume F:\	Add
<input type="checkbox"/>	Warning	PROBLEM		14 Jun 2012 11:13:44	3m 13d 5h	Acknowledge (1)		Free disk space is less than 20% on volume /	Add
<input type="checkbox"/>	Warning	PROBLEM	?	14 Jun 2012 11:13:22	3m 13d 5h	Acknowledge (1)		Free disk space is less than 20% on volume /bkp01	Add
<input type="checkbox"/>	Warning	PROBLEM	?	14 Jun 2012 11:13:21	3m 13d 5h	Acknowledge (1)		Free disk space is less than 20% on volume /	Add
<input type="checkbox"/>	Warning	PROBLEM		14 Jun 2012 10:28:02	3m 13d 6h	Acknowledge (1)		Free disk space is less than 20% on volume C:\	Add

Bulk acknowledge

ACOMPANHANDO AS NOTIFICAÇÕES:

Administration // Notification

From	Till	Admin	guest
------	------	-------	-------

26 Dec 2011 00:00	02 Jan 2012 00:00	0 (0/0/0/0)	0 (0/0/0/0)
02 Jan 2012 00:00	09 Jan 2012 00:00	0 (0/0/0/0)	0 (0/0/0/0)
09 Jan 2012 00:00	16 Jan 2012 00:00	0 (0/0/0/0)	0 (0/0/0/0)
16 Jan 2012 00:00	23 Jan 2012 00:00	0 (0/0/0/0)	0 (0/0/0/0)
23 Jan 2012 00:00	30 Jan 2012 00:00	0 (0/0/0/0)	0 (0/0/0/0)
30 Jan 2012 00:00	06 Feb 2012 00:00	0 (0/0/0/0)	0 (0/0/0/0)
06 Feb 2012 00:00	13 Feb 2012 00:00	0 (0/0/0/0)	0 (0/0/0/0)
13 Feb 2012 00:00	20 Feb 2012 00:00	0 (0/0/0/0)	0 (0/0/0/0)
20 Feb 2012 00:00	26 Feb 2012 23:00	0 (0/0/0/0)	0 (0/0/0/0)
26 Feb 2012 23:00	04 Mar 2012 23:00	0 (0/0/0/0)	0 (0/0/0/0)
04 Mar 2012 23:00	11 Mar 2012 23:00	0 (0/0/0/0)	0 (0/0/0/0)
11 Mar 2012 23:00	18 Mar 2012 23:00	0 (0/0/0/0)	0 (0/0/0/0)
18 Mar 2012 23:00	25 Mar 2012 23:00	0 (0/0/0/0)	0 (0/0/0/0)
25 Mar 2012 23:00	01 Apr 2012 23:00	0 (0/0/0/0)	0 (0/0/0/0)
01 Apr 2012 23:00	08 Apr 2012 23:00	0 (0/0/0/0)	0 (0/0/0/0)
08 Apr 2012 23:00	15 Apr 2012 23:00	0 (0/0/0/0)	0 (0/0/0/0)
15 Apr 2012 23:00	22 Apr 2012 23:00	0 (0/0/0/0)	0 (0/0/0/0)
22 Apr 2012 23:00	29 Apr 2012 23:00	0 (0/0/0/0)	0 (0/0/0/0)
29 Apr 2012 23:00	06 May 2012 23:00	0 (0/0/0/0)	0 (0/0/0/0)
06 May 2012 23:00	13 May 2012 23:00	0 (0/0/0/0)	0 (0/0/0/0)
13 May 2012 23:00	20 May 2012 23:00	0 (0/0/0/0)	0 (0/0/0/0)
20 May 2012 23:00	27 May 2012 23:00	0 (0/0/0/0)	0 (0/0/0/0)
27 May 2012 23:00	03 Jun 2012 23:00	0 (0/0/0/0)	0 (0/0/0/0)
03 Jun 2012 23:00	10 Jun 2012 23:00	0 (0/0/0/0)	0 (0/0/0/0)
10 Jun 2012 23:00	17 Jun 2012 23:00	197 (0/0/0/0/197)	0 (0/0/0/0)
17 Jun 2012 23:00	24 Jun 2012 23:00	324 (0/0/0/0/324)	0 (0/0/0/0)
24 Jun 2012 23:00	01 Jul 2012 23:00	271 (0/0/0/0/271)	0 (0/0/0/0)
01 Jul 2012 23:00	08 Jul 2012 23:00	551 (0/0/0/0/551)	0 (0/0/0/0)
08 Jul 2012 23:00	15 Jul 2012 23:00	482 (0/0/0/0/482)	0 (0/0/0/0)
15 Jul 2012 23:00	22 Jul 2012 23:00	631 (0/0/0/0/631)	0 (0/0/0/0)
22 Jul 2012 23:00	29 Jul 2012 23:00	638 (0/0/0/0/638)	0 (0/0/0/0)
29 Jul 2012 23:00	05 Aug 2012 23:00	670 (0/0/0/0/670)	0 (0/0/0/0)
05 Aug 2012 23:00	12 Aug 2012 23:00	698 (0/0/0/0/698)	0 (0/0/0/0)
12 Aug 2012 23:00	19 Aug 2012 23:00	814 (0/0/0/0/814)	0 (0/0/0/0)
19 Aug 2012 23:00	26 Aug 2012 23:00	733 (0/0/0/0/733)	0 (0/0/0/0)
26 Aug 2012 23:00	02 Sep 2012 23:00	601 (0/0/0/0/601)	0 (0/0/0/0)
02 Sep 2012 23:00	09 Sep 2012 23:00	318 (0/0/0/0/318)	0 (0/0/0/0)
09 Sep 2012 23:00	16 Sep 2012 23:00	185 (0/0/0/0/185)	0 (0/0/0/0)
16 Sep 2012 23:00	23 Sep 2012 23:00	216 (0/0/0/0/216)	0 (0/0/0/0)
23 Sep 2012 23:00	25 Sep 2012 16:42	80 (0/0/0/6/74)	0 (0/0/0/0)

all ([Email](#) / [Jabber](#) / [SMS](#) / [Zabbix SendEmail](#))

EXEMPLO DE E-MAILS RECEBIDOS PELO ADMIN:

Pesquisar Caixa de entrada (Ctrl+E)

Arrastar o cabeçalho de uma coluna para agrupar por esta coluna.

De	Assunto	Taman...	Categ...	Recebido em
testedeo@...br	OK: Operational status was changed on Switch ...-24TC R2.00....	8 KB		ter 25/09/2012 16:27
testedeo@...br	PROBLEM: Operational status was changed on Switch ...-24T...	8 KB		ter 25/09/2012 16:27
testedeo@...br	OK: Operational status was changed on Switch D-Link ...-24TC R2.00....	8 KB		ter 25/09/2012 16:27
testedeo@...br	PROBLEM: Operational status was changed on Switch ...-24T...	8 KB		ter 25/09/2012 16:27
testedeo@...br	PROBLEM: Operational status was changed on Switch ...-24T...	8 KB		ter 25/09/2012 16:26
testedeo@...br	PROBLEM: Operational status was changed on Switch ...-24T...	8 KB		ter 25/09/2012 16:26

EXEMPLO DE MENSAGEM RECEBIDAS NO E-MAIL:

De: testedeo@...br	Enviada em: ter 25/09/2012
Para: Andre ... Deo	
Cc:	
Assunto: PROBLEM: Operational status was changed on Switch ...-24TC R2.00.010 Port 14 on Unit 1	
Trigger: Operational status was changed on Switch ...-24TC R2.00.010 Port 14 on Unit 1 Trigger status: PROBLEM Trigger severity: Information Trigger URL: Item values: 1. Operational status of interface ...-24TC R2.00.010 Port 14 on Unit 1 (Switch ...-24TC R2.00.010 Port 14 on Unit 1): down (2) 2. *UNKNOWN* (*UNKNOWN*:*UNKNOWN*): *UNKNOWN* 3. *UNKNOWN* (*UNKNOWN*:*UNKNOWN*): *UNKNOWN*	
De: testedeo@...br	Enviada em: ter 25/09/2012
Para: Andre ... Deo	
Cc:	
Assunto: OK: Operational status was changed on Switch ...-24TC R2.00.010 Port 14 on Unit 1	
Trigger: Operational status was changed on Switch ...-24TC R2.00.010 Port 14 on Unit 1 Trigger status: OK Trigger severity: Information Trigger URL: Item values: 1. Operational status of interface ...-24TC R2.00.010 Port 14 on Unit 1 (Switch ...-24TC R2.00.010 Port 14 on Unit 1): down (2) 2. *UNKNOWN* (*UNKNOWN*:*UNKNOWN*): *UNKNOWN* 3. *UNKNOWN* (*UNKNOWN*:*UNKNOWN*): *UNKNOWN*	

REFERENCIAS:

Lista Zabbix Brasil
Fórum Oficial Zabbix

Criado por: André Déo